


SPOON DRAIN NOTES:

1. ALL CONCRETE KERBING MUST BE CONSTRUCTED IN ACCORDANCE WITH AS 2876.
2. CONCRETE STRENGTH TO BE 32MPa UNLESS NOTED OTHERWISE.
3. FOR INSTALLATION REQUIREMENTS, REFER TO SPOON DRAIN INSTALLATION DETAIL(S).



SPOON DRAIN (SD-104)
RESIDENTIAL & INDUSTRIAL (SD)
NOT TO SCALE

1. All dimensions are in millimeters unless otherwise shown.
2. It is the responsibility of the individual to ensure that they are using the current version of this drawing. Council accepts no liability for issues arising from the use of superseded drawings. Printed copies of this drawing are uncontrolled.

REV	DESCRIPTION	APPROVED	DATE	APPROVED TEAM LEADER TECHNICAL SERVICES	SPOON DRAIN RESIDENTIAL & INDUSTRIAL (SD)	STANDARD # SD-104	REV B
				<i>Urris Haskas</i>			
B	REVISED NOTES	C.HASKAS	AUG '12	SCALE AT A4 NOT TO SCALE	CITY OF ONKAPARINGA		
A	ORIGINAL ISSUE	P.BICKLEY	JUN '10				