


EDGE BEAM NOTES:

1. INSTALLATION OF EDGE BEAM SHALL BE IN ACCORDANCE WITH AS 2876 & SD-109.
2. REFER TO THE DESIGN PLANS FOR PROPOSED LOCATION & EXTENT OF EDGE BEAM.
3. IN AREAS WHERE NO MULCH OR TURF IS REQUIRED, BACKFILL BEHIND KERB WITH APPROVED SITE MATERIAL OR PM2/20 TO THE TOP OF KERB. TO BE COMPACTED TO 95% MMDD.
4. CONCRETE STRENGTH TO BE 32MPa UNLESS NOTED OTHERWISE.
5. REFER TO LANDSCAPE PLANS FOR DETAILS OF ADJACENT SURFACES.



EDGE BEAM (SD-620)

INTERFACE BETWEEN PAVEMENT & LANDSCAPING
NOT TO SCALE

1. All dimensions are in millimeters unless otherwise shown.
2. It is the responsibility of the individual to ensure that they are using the current version of this drawing. Council accepts no liability for issues arising from the use of superseded drawings. Printed copies of this drawing are uncontrolled.

REV	DESCRIPTION	APPROVED	DATE	APPROVED TEAM LEADER TECHNICAL SERVICES	EDGE BEAM INTERFACE BETWEEN PAVEMENT & LANDSCAPING	STANDARD # SD-620	REV A
				<i>Urris Haskas</i>			
A	ORIGINAL ISSUE	C.HASKAS	FEB '18	SCALE AT A4 NOT TO SCALE			